



It's razor-sharp!

See. Diagnose. Treat.



Medical cameras



Intraoral cameras



Stroboscopy



Surgical loupes




Light systems

Ultra-precise HD images

perfectly illuminated and sharper than Full HD







State-of-the-art HD SHOT camera technology for crystal-clear images and natural colours



Extraoral image





Sharpness: standard intraoral camera (left image) compared to L-CAM HD SHOT (right image)

Comparison of mage sizes and resolutions

Intraoral image Macro image

L-CAM HD SHOT is our newest innovation, offering unparalleled HD quality. The high-resolution optical glass and HD sensor deliver ultra-sharp full-screen images.

L-CAM HD SHOT records images with 2592 x 1944 pixels, which equals twelve times higher resolution than images generated by standard intraoral cameras. This even outperforms the Full HD standard by far and shows intricate details that would otherwise remain undiscovered.

The **automatic lighting** contains 16 high performance LED lights for perfect illumination of any area of the mouth. It delivers crystal-clear images with accurate color representation for optimal patient counselling.

The integrated **update function** keeps you "up to date" and enables future downloads for improvements and functionality enhancements.











LCAMHD SHOT



Incorporating the most pioneering technology available, L-CAM HD SHOT can be operated without special drivers and with no need for installation.



Plug in · Position · Activate · Finished!



State-of-the-art HD SHOT camera technology

for crystal-clear images and natural colours



LCAMHD SHOT

The camera is made of durable high-quality aluminium and can be cleaned unhesitatingly with alcohol-based disinfecting agents.



Connection socket on the back of the camera and

metal plug with locking system ensures perfect contact with the camera cable and is easy to insert an remove





High-quality, non-fogging glass optic system produces razor-sharp images, 16 LED lights provide perfect illumination

L-CAM HD SHOT 0°



USB Plug fits all standard computers, notebooks and tablets with USB 2.0 or USB 3.0 connector




L-CAM HD SHOT 90°

Interactive touchring can be touched from any position and produces LED signals for feedback and

confirmation





Continuously variable control ring to adjust focus







for your L-CAM HD SHOT

Camera holder for camera storage

Only one USB cable is required for **power supply and data transfer.** It is available in lengths of 2 m/3 m/5 m.





The accessory set

increases the range of applications for your L-CAM HD SHOT (0° optics).

Mirror attachment, PA probe and a single tooth attachment extend the functionality of the camera and improve your photo results.





